


CU 24V LT CU 24V BR

CONTROL UNITS FOR
ROAD BARRIERS

Life
made
easy



CU 24V LT

Technical features

24V CONTROL UNIT FOR LIMIT BARRIERS



Every single product is duly tested at the end of each assembly line

TECHNICAL CHARACTERISTICS

MAIN MENU	LED OFF	LED ON	Description
CODE TX	No code	Code entered	Radio control memory function
MOTOR TIME	30 sec.	Selected time	Motor time adjustment function
PAUSE TIME	W/O automatic closing	With automatic closing	Leaf pause time function
POWER DURING OPENING	Max	Med / Min	Adjustment of power output, Maximum, Medium or Minimum, set by the Trimmer
PWER DURING CLOSING	Max	Med / Min	Adjustment of power output, Maximum, Medium or Minimum, set by the Trimmer
SLOW DOWN - OPENING	Max	Med / Min	Adjustment of slowing, Maximum, Medium or Minimum, set by the Trimmer
SLOW DOWN - CLOSING	Max	Med / Min	Adjustment of slowing, Maximum, Medium or Minimum, set by the Trimmer
MENU	ON		Menu selection

Extended Menu 1 is activated by selecting the LEV LED via the SELECT button and pressing the SET button once

EXTENDED MENU 1	LED OFF	LED ON	Description
AUTOMATIC PROGRAMMING	OFF	ON	Manned function
BUTTON	Open/close button	Close button	Activation of button: open/close or close
PEDESTRIAN BUTTON / DS3	-	-	DO NOT USE
PHOTOTEST	OFF	ON	Phototest
DS2 STP IN CLOSING	-	-	DO NOT USE
DS1 PARTIAL INVERSION	-	-	DO NOT USE
8K2 RELEASE	OFF	ON	8K2 release function
LEV	1 FLASH		Menu selection

Extended Menu 2 is activated by selecting the LEV LED via the SELECT button and pressing the SET button twice

EXTENDED MENU 2	LED OFF	LED ON	Description
ELECTROLOCK / ELECTROBLOCK	ELECTROLOCK	ELECTROBLOCK	Activation of electrolock or electroblock
LAMP	BLINK	FIX	Activation of flashing light
ALWAYS CLOSE	OFF	ON	Always close
FOLLOW ME	OFF	ON	Follow me (reduced opening time once the sensor has been passed)
PRE-FLASH	OFF	ON	Pre-flash function
LED STRIP CONFIGURATION	ACTIVE WITH MOTOR ON	ALWAYS ACTIVE	Activation of LED strip
LED STRIP CONFIGURATION	FLASHING	FIXED	Activation of LED strip
LEV	2 FLASHES		Menu selection

CU 24V BR

Technical features

24V CONTROL UNIT FOR BORDER BARRIER



Every single product is duly tested at the end of each assembly line

TECHNICAL CHARACTERISTICS

MAIN MENU	LED OFF	LED ON	Description
DIR	Opens to the right	Opens to the left	Opening direction
STEP BY STEP	Automatic	Step-by-step	Step-by-step function: open close stop close
CODE TX	No code	Code entered	Radio control memory function
CONDO	OFF	ON	Apartment block function
MOTOR TIME	30 sec.	Selected time	Motor time adjustment function
PAUSE TIME	W/O automatic closing	With automatic closing	Leaf pause time function
AUTOMATIC PROGRAMMING	OFF	ON	Automatic programming function
MENU	ON		Menu selection

Extended Menu 1 is activated by selecting the LEV LED via the SELECT button and pressing the SET button once

EXTENDED MENU 1	LED OFF	LED ON	Description
EXTENDED MENU 1	LED OFF	LED ON	Description
PHOTOTEST	OFF	ON	Phototest
SLOW DOWN	OFF	ON	Slow down
PGM CODE REMOTE	OFF	ON	Programming remote control
COURTESY LIGHT	OFF	ON	Pre-flash or courtesy light function
LEV	1 FLASH		Menu selection

Extended Menu 2 is activated by selecting the LEV LED via the SELECT button and pressing the SET button twice

EXTENDED MENU 2	LED OFF	LED ON	Description
EXTENDED MENU 2	LED OFF	LED ON	Description
DS1 OPENS	OFF	ON	Presence of closure photocell also in opening
MANNED	OFF	ON	Manned function
FOLLOW ME	OFF	ON	Follow me (reduced opening time once the sensor has been passed)
PAUSE LIGHT	OFF	ON	Activation of flashing light when gate paused
ALWAYS CLOSE	OFF	ON	Always close
LEV	2 FLASHES		Menu selection

Extended Menu 3 is activated by selecting the LEV LED via the SELECT button and pressing the SET button three times

EXTENDED MENU 3	LED OFF	LED ON	Description
EXTENDED MENU 3	LED OFF	LED ON	Description
SLOWING POWER / OPENING POWER	ON		Regulation of power during motor slowing phase
LEV	3 FLASHES		Menu selection

OFFICIAL DEALER:



AUTOMATION FOR GATES, DOORS AND BARRIERS

FRATELLI COMUNELLO S.P.A.

HEADQUARTERS

Via Zarpellon, 33

36027 San Giuseppe di Cassola, Vicenza, Italy

Tel. +39 0424 585111 Fax +39 0424 533417

info@comunello.it www.comunello.com

REGISTERED OFFICE

Via Cassola,64 - C.P.79

36027 Rosà, Vicenza, Italy

Tel. +39 0424 585111 Fax +39 0424 533417

info@comunello.it www.comunello.com