

CU INDUSTRY
230V - 380V

FORT 2500/3500
CONTROL UNITS

Life
made
easy



CU INDUSTRY 230V Technical features

QUAD 230V INVERTER FORT 2500/3500



Every single product is duly tested at the end of each assembly line

MAIN FEATURES

- Speed: thanks to the integrated inverter it is possible to adjust the nominal and slow-down speeds while maintaining high levels of force and smooth movement.
- Acceleration: The control unit allows to manage and adjust the acceleration and deceleration ramps
- Security: The control unit is able to manage, through dedicated inputs, N.C. or 8K2 sensitive edges and photocells.
- Diagnostics: The control unit is able to perform real-time diagnostics using dedicated LEDs and display anomalies.
- Commands: The control unit manages the commands: "only opening", "only closing", "step-by-step" and "Pedestrian".
- Sensitivity: The control unit allows to adjust the sensitivity for obstacle detection.

CU INDUSTRY 380V

Technical features

QUAD 380V FORT 2500/3500



Every single product is duly tested at the end of each assembly line

MAIN FEATURES

- Sensitivity: The control unit allows to adjust the sensitivity for obstacle detection.
- Commands: The control unit manages the commands: "only opening", "only closing", "step-by-step" and "Pedestrian".
- Diagnostics: The control unit is able to perform real-time diagnostics using dedicated LEDs.
- Security: The control unit is able to manage, through dedicated inputs, NC/8K2 sensitive edges and photocells.
- Simple: The main functions can be easily activated using 10 dip-switches.

OFFICIAL DEALER:



AUTOMATION FOR GATES, DOORS AND BARRIERS

FRATELLI COMUNELLO S.P.A.

HEADQUARTERS

Via Zarpellon, 33

36027 San Giuseppe di Cassola, Vicenza, Italy

Tel. +39 0424 585111 Fax +39 0424 533417

info@comunello.it www.comunello.com

REGISTERED OFFICE

Via Cassola,64 - C.P.79

36027 Rosà, Vicenza, Italy

Tel. +39 0424 585111 Fax +39 0424 533417

info@comunello.it www.comunello.com